Maharashtra University of Health Sciences, Nashik

Following documents need to available on web site

Trust Deed / Bylaws/ Registration Certificate (Trust / Hospital (Bombay Nursing Act))

Name of College/Institute . Y. D. Mane Institute of Nursing Kagal

Name of Trust / Society		Trust
Registration Certificate To be uploaded on web site clear		Trust / Society :- To be uploaded on web site
and original copy	1 Se	Trust Deed / Bylaws:- To be uploaded on web site
		Hospital Ownership Documents:-
		Hospital (Bombay Nursing Act) :- To be uploaded on web site
J.		MPCB Certificate of Parent Hospital :- To be uploaded on web site
Hospital Type as Per Bombay Nursing	, Act	:- Superspeciality.
Hospital (Bombay Nursing Act) issuin	g A	uthority: - Medical officer of Health (Kmc)
Hospital Bed as per Certificate:- 101		
Name of the College / Institute (As per First Affiliation letter)	:	Y.D. Mane Institute of Nursing
Address	:	42615 Alka Farm, Sangaon Road, 100gal, Tal. Kagal, Kolhapur-Al6216
Email ID	:	ydmane. Kagal @ gmail.com.
Telephone / Mobile No.(s)	:	9607978494
Website	:	www.ydmanenursingkagal.edu.in
College Code	:	152151

Here by I declare all relevant document uploaded are clear and visible on web site & are true as per my best knowledge

Any Other, Please Specify:-

	STUTE ON
	Toal and Z pist Kalhaparts
Date:- 18/2/25	Principal of Mur de KAGAL Mane Institute of KG Dean/ Principal Stamp & Signature

Certificate of Registration

It is hereby certified that the public trust described below has this day been duly registered under the Bombay Public Trusts Act, 1950 (Bom, XXIX of 1950), at the Public Trusts Registration Office, Kulka www. Kalka has the Public

Name of Public Trust The Kagal Celucation Scienty Kagal Duilt Kullapin Number in the Register of Public Trusts F= 62 - Kallapin

> > Signature. S.O. Jonan

Designation Astron Chinese Comm

Callander Prove

ETINO 314

11465

No. 32

Certificate of

Registration

The Societies Registration Act, 1860

(ACT XXI OF 1860).

Registration No. Bom 152 KPR

IT IS HEREBY CERTIFIED THAT The Kagal Education Society, Kagal

has this day been duly registered under the Societies Registration Act, XXI of 1860.

> Given under my hand this 6thday of October 1950.

> > 5. or. Imal

Assistant Registrar of Societies,

Cohapyr Region.



KOLHAPUR MUNICIPAL CORPORATION

(Health Department)

FORM 'C'

(See Rule 5) Certification of Registration section 5 of the Bombay Nursing Homes **Registration Act. 1949**

CERTIFICATE

No. 418

This is to Certify that Shri. / Smt. DR. VILAS S NAIK & DR. KAUSTUBH

CAURANGABADKAR DR SAYIPRASAD has been registred under the Bombay Nursing

Homes Registration Act 1949. in respect of DIAMOND SUPERSPECIALITY HOSPITAL

situated at 184/A/1, NAGALA PARK NEAR ACHARYA VIDYANAND BHAVAN

KOLHAPUR and has been authorised to carry on the said nursing home.

Registration No.

Date of Registration

Place

Kolhapur 05-Jul-2022

418

06-Dec-2016

Date of issue of Certificate

This Certificate of registration shall be valid up to 31-Mar-2025

Kolhapur Municipal Corporation.

DRVILASS The name of NAIK & DR KAUSTUBH CAURANGABADKAR DR Local Supervising Authority



Kolhapur.

Medical officer of Health Kolhapur Municipal Corporation (Signature of the registering authority.)



कोल्हापूर महानगरपालिका

पोस्ट बॉक्स नं. ३३, पिन कोड नं. - ४१६ ००२ फोन नं.: पी.बी.एक्स. बोर्ड : २५४०२९१ ते २५४०२९८ व २५४०२९०

क्र.मुंबई नर्सिंग होम/वशि-४५ ९/२०२२ दि. ९ (/१०/ २०२२

प्रति,

डॉ.विलास नाईक/डॉ.कौस्तुभ औरंगाबादकर, डॉ.साईप्रसाद ,डायमंड सुपरस्पेशालिटी हॉस्पिटल, १८४/ए/१ ई वॉर्ड,आचार्य विद्यानंद हॉलजवळ नागाळा पार्क, कोल्हापूर

> विषय - हॉस्पिटलची बेडसंख्या १०१ असलेबाबत दाखला मिळणेकामी.... संदर्भ - आपला ब्युरो क्र.२/९२०५ दि.१०/१०/२०२२ रोजीचे प्राप्त पत्र.

उपरोक्त संदर्भिय विषयास अनुसरुन इकडील कार्यालयाकडून आपले डायमंड सुपरस्पेशालिटी हॉस्पिटल यास मुंबई शुश्रूषा गृह नोंदणी अधिनियम १९४९ अंतर्गत महाराष्ट्र शुश्रूषा गृह नोंदणी क्र.४१८ ने नोंदणी झालेली असून सदर प्रमाणपत्राची वैधता दि.३१ मार्च २०२५ पर्यत आहे.

संदर्भ क्र.१ ने आपण हॉस्पिटलची बेडसंख्या १०१ पर्यत मंजुर असलेचा दाखला मिळणे कामी अर्ज सादर केला आहे. सदर अर्जाचे अनुषंगे मुंबई शुश्रूषा गृह नोंदणी अधिनियम नोंद रजिस्टरमध्ये पडताळणी केले असता आपले कोल्हापूर सुपरस्पेशालिटी मेडीकल सेंटर संचलित द्वारा <u>डायमंड सुपरस्पेशालिटी हॉस्पिटल यास १०१ बेडची</u> मंजुरी देणेत आलेली आहे.

सबब, मुंबई शुश्रूषा गृह नोंदणी अधिनियम १९४९ अंतर्गत नोंदणी रजिस्टरमधील नोंदीनुसार आपले डायमंड सुपरस्पेशालिटी हॉस्पिटलमध्ये १०१ बेडसंख्या कार्यरत असलेची मान्यता नोंदणीवेळी देणेत आली आहे.



18-10-22

आरोग्याधिकारी कोल्हापूर महानगरपालिका

प्रत माहितीकरिता सविनय सादर----

१. मा.प्रशासक, कोल्हापूर महानगरपालिका

२. मा.उपायुक्तसोा, क्र.१ कोल्हापूर महानगरपालिका

d=:

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax: 24023516 Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

ORANGE/M.S.I

No:- Format1.0/CC/UAN No.0000187450/CO/2403002688

To,

M/s. Kolhapur Super Speciality Medical Centre Diamond Super Speciality Hospital, 184 A/1, C ward, Near Acharva Vidyanand Bhavan, Nagala Park, TI -Karveer, Kolhapur-416003 Email:ravimydeo@hotmail.com Contact No.:9422045330



Date: 26/03/2024

Combined Renewal of Consent to operate with increased in CI and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format1.0/CC/UAN No. 0000145239/CR/2303001213 valid up to 13/12/2023 issued on 17/03/2023.

- 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 28/11/2023
- 3. This office e-mail on 19/01/2024.
- 4. Documents uploaded on 19/01/2024, 20/01/2024, 23/01/2024 & 30/01/2024.
- 5. Minutes of 32nd Consent Committee Meeting held on 06/03/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Renewal of Combined Consent to operate with increased in CI and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedule(I-IV) and Annexure (I-II) enclosed in this order.

- 1. This CCA shall be in force for a period From 13-12-2023 To 13-12-2024
- 2. The capital investment of the HCF is ₹25.0187 Lakhs (As per C.A Certificate Submitted by HCF)
- 3. HCF Area: Plot Area 1858.00 M² with Built-up area 2297.09 M².

4. Activities Included

a. Total Number of Beds : 101 Nos. (As per BNH certificate no. 101 valid upto 31-03-2025)

- General Beds : 37 Nos ١.
- II. ICCU/ICU Beds : 23 Nos
- Operation Theatre : 2 Nos 111.
- IV. Maternity Beds : 2 Nos
- Other Beds : 37 Nos v.

```
b.Laundry
```

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 1 of 12

i. 20.00 Kg/Cycle

c. Restaurant/Cafeteria/Canteen Area 55.40 Sq mtr.

- d. Hostel/Residential quarters:- 55.40 No.s
- e. Pathology Lab Average Sample/day:- 150.00 Nos.
- f. Blood Bank No. of Bags/Month:- 150.00

g.Medical Store(s):- 1.00 Nos.

- 5. Conditions under the Water (P&CP) Act, 1974:-
 - 1. Quantity of total water consumption shall not exceed 27 M³/day. You shall not use the ground water without obtaining prior permission of Central Ground Water Authority.
 - 2. You shall provide adequate treatment & disposal facility for Sewage & Effluent generated as specified in Annexure-I
 - 3. You shall provide water meter at water intake point & at sewage/Effluent disposal point and shall maintain monthly records thereof.

6. Conditions under the Air (P&CP) Act,1981:-

- 1. You shall use the fuel for DG set as specified in the Annexure-II.
- 2. You shall provide adequate emission control system to DG set as specified in Annexure-II.
- You shall strictly observe noise standards applicable for DG set stack emission and ambient noise level as per Annexure-II.
- Conditions under Hazardous and Other Wastes(Management, Handling & 7. Transboundry Movement) Rules, 2016 for treatment and disposal of hazardous waste:-

You shall have valid membership of CHWTSDF and shall dispose the Hazardous waste generated in strict compliance with said rules and maintain record thereof.


Ň	or lo	Type of Waste	HW Category	Quantity	UOM	Diamond
	т	35.3 Chemical sludge from waste water treatment	and the first and	As per Actual		Disposal Municipal Lanfill
	-	Biological Sludge	-	54	Kg/Day	Gardening & Manure

8. Conditions under Solid Waste Management rules 2016

- 1. You Shall Handover Solid waste (Other Than BMW) to Local bodies as per provisions of SWM Rules, 2016.
- 2. You shall Not mix general solid waste with Bio Medical Waste.
- 9. Conditions under BMW Management rules, 2016 (As Amended):-
 - You shall adhere to the BMW Generation quantity and storage conditions as specified in Schedule-I of BMW Management Rules, 2016, as amended.
 - You shall segregate and handover BMW to BMW T&D CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Strictly complying with the Provisions of Schedule-I and Maintain record of the same.

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 2 of 12



(26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 3 of 12

Copy to:

- 1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- Regional Officer, MPCB Kolhapur is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.

SRO - Kolhapur is directed to ensure the compliance of the CCA conditions.

- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose.



Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 5 of 12

An	ne	xu	ire	-
-				_

			Annexares
		ditions under Water (P & CP), 1974 Act: (Refer Conditi	on No. 5)
А.	Con Water Co	ditions under Water (P & CP); 20 Insumption Details:-	Water consumption quantity (CMD)
,		purpose for water con	0.00
	1.	testial Cooling, spraying in mine pits of bonn	5.00
	2.	Domestic purpose	
	3.	Processing whereby water gets biodegradable Processing whereby water gets polluted & pollutants are not easily biodegradable and are toxic	0.00
	4.	Processing whereby water gets part biodegradable and are toxic	0.00
		hardburg (Jaruening, etc.	

Other such as agriculture, gardening, ation, Treatment and Disposal:-5.

В.	Conditio Sr. No.	ns for Sewage & Effluent Description	quantity of discharge	Standards to be achieved	Disposal
	1	Domestic Sewage	(CMD) 20.0	As per clause 'C'	50% recycle for flushing in toilet and 50% gardening purpose.
	2	Trade effluent	3.01212	As per clause 'C'	100% for gardening

C. You shall operate the combined waste water treatment plant of adequate design and capacity to treat the domestic sewage and trade effluent so as to achieve the following standards as prescribed below under E (P) Act, 1986 and Rules made there under and recycle treated effluent after achieving standard prescribed below.

		Discharge Standards applicable			
Sr. No.	Parameters	Limiting Concentration in mg/except for pH			
1	рH	6.5-9.0			
2	Oil & Grease	10			
3	BOD (3 days 27°C)	30			
4	COD	250			
5	Total Suspended Solids	100			
	Bio-Assay Test	90 % survival of fish after 96 hours in 100 % effluent			

You shall ensure replacement of pollution control system or its parts after expiry of its expected D. life as defined by manufacturer so as to ensure the compliance of standards and safety of the operation thereof.

- E. You shall provide Primary/ Secondary/ tertiary treatment system and disinfection facility.
- The Applicant shall obtain prior consent of the Board to take steps for Expansion/Modification of F. any treatment and disposal system or an extension or addition thereto.
- G. You shall provide Specific Water Pollution control system as per above conditions and conditions of Environmental Clearance, if applicable.

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 6 of 12

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

1. You shall observe following fuel pattern and erect following stack (s):

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D.G. SET (125 KVA)	Diesel	22.00 Ltr/Hr	5.00

- 2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.
- 3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).
- 4. Conditions for D.G. Set:
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.
 - c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control measures.
 - Installation of DG Set must be strictly in compliance with recommendations of DG Set manufacturer.
 - e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.
 - f. D.G. Set shall be operated only in case of power failure.
 - g. The applicant should not cause any nuisance in the surrounding area due to operation of D.G. Set.
 - h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.
- 5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m. and 6 a.m.

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 7 of 12

SCHEDULE

Authorization for Management of Bio-Medical Waste (Category and Quantity)

The authorization is granted for Generation and Segregation of BioMedical Waste (BMW) in waste categories and quantities listed here in below:

Sr. No	Category	Type of Waste	Quantity not to exceed (Kg/Month)	Segregation Colour coding	Treatment & Disposal
1	Yellow	a) Human Anatomical waste	125.00	Yellow coloured non- chlorinated	Bio medical Waste shall be sent to MPCB
		b) Animal Anatomical Waste	0.00	plastic bags.	authorized BMW-CTF S. S. Services, Kolhapur
		c) Soiled Waste	320.00		Municipal Corporation, Kolhapur Kolhapur
		d) Expired or Discarded Medicines	0.00		
		e) Chemical Waste	0.00		
		f) Chemical Liquid Waste	0.00	Separate collection system leading to effluent treatment system.	
		g) Discarded linen, mattresses, beddings contaminated with blood or body fluid.	50.00	Yellow coloured non - chlorinated plastic bags or suitable packing material.	
		h) Microbiology Biotechnology and other clinical laboratory waste	45.00	Autoclave safe plastic bags or containers.	Pre-treat to sterilize with nonchlorinated chemicals on-site as per National AIDS Control Organisation or World Health Organisation guidelines thereafter sent to BMW-
2	Red	Contaminated waste (Recyclable)		Red coloured non chlorinated plastic bags or containers.	CTF for Incineration. Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
4	(Translucent)	Waste sharps including Metals	277.00	Puncture proof, Leak proof, tamper proof container,	Bio medical Waste shall be sent to MPCB authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur
*	DIDE	a) Glassware		Puncture proof, Leak proof with Blue coloured	Bio medical Waste shall be sent to MPCB
		b) Metallic body implants	7.00	marking,	authorized BMW-CTF S. S. Services, Kolhapur Municipal Corporation, Kolhapur Kolhapur

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 8 of 12



SCHEDULE-II

Responsibilities of CBWTF

- You shall handover Bio Medical waste only to MPCB Authorized Common Bio medical waste treatment and Disposal facility S. S. Services, Kolhapur Municipal Corporation, Kolhapur and maintain records thereof for 5 years.
- 2. You shall establish bar code for handling of bio-medical waste.
- 3. You shall ensure segregation of Bio-Medical Waste in colour coded bags as per BMW Management Rules, 2016
- 4. You shall not store Bio Medical waste beyond 48 hours from the generation.
- 5. You shall use only non-chlorinated plastic coloured bags.
- 6. You shall ensure use of colour coded bins and bags for segregation of BMW as required under BMW Management Rules 2016.
- 7. You shall not mix General/other Solid waste with Bio Medical Waste.
- 8. You shall ensure segregation, treatment and disposal of General / Other Municipal solid waste as per Solid Waste Management rules, 2016.
- You shall pay the charges to authorized Common Bio Medical waste Treatment and Disposal facility for its services as agreed upon during the membership registration or as amended.
- 10. You shall comply and strictly abide with the conditions stipulated in BMW Management Rules, 2016 as amended time to time.
- 11. You shall handover Plastic / Metal waste (BMW) to Common Bio medical waste treatment and Disposal facility allocated to you for treatment & disposal or plastic/ metal recycler authorized by MPCB for BMW Handling and maintain records thereof & submit to MPCB in Annual report.
- 12. You shall provide training to all workers involved in handling of bio-medical waste at the time of induction and at least once a year thereafter and maintain record thereof.
- 13. You shall undertake appropriate medical examination of all BMW Waste handlers & staff at the time of induction and at least once in a year and immunize all involved in management of Bio Medical Waste for protection against diseases, including Hepatitis B and Tetanus, that are likely to be transmitted while handling bio medical waste and maintain the records for the same.
- 14. You shall ensure use of personal protective Equipment such as Heavy Duty Gloves (Workman's Gloves), Gum Boots or safety shoes for waste collectors, Face mask, Head Cap, Splash Proof Gowns or aprons etc., Disposal gloves by waste handlers.
- 15. You shall develop and operate own website. The website should be uploaded on monthly basis with all the information relating to Bio-Medical waste management including this CCA and other permission and report.
- 16. You shall maintain all record for Generation, for a period of five years and produce whenever asked by MPCB authorities.
- The occupier and operator of a Health Care Establishment shall be liable for all the damages caused to the environment or the public due to improper handling of biomedical wastes.
- 18. You shall ensure submission of Annual Report of BMW for the period Jan to Dec, including category and quantity of BMW Generated and Disposed in Form IV for preceding year before 30th June of every year to the Regional Office, MPCB, Kolhapur and uploading the same to MPCB Portal (https://www.ecmpcb.in/).

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6 F02/00

Page 9 of 12

SCHEDULE-III

Bank Guarantees

1. Bank Guarantee imposed to ensure timely compliance, to be observed by operator.

Bank Guarantee Imposed to ensure among		Compliance	Bank Guarantee	
Sr.No	Activity / Condition to be Complied	Compliance Timeline (Months)	Amount	
1A	Operation and Maintenance			
1	To Segregate and Handle BMW as		50,000.00	
Towards Operation and Maintenance of STP/ETP to achieve prescribed C discharge standards		Continuous	62,500.00	
1B	Records			
1	To Maintain records of BMW and submission of Annual Report for preceding calendar year in Form -IV before 30th June every year	Continuous	25,000.00	
2	To maintain records of BMW handed over to CBMWTDF	Continuous	25,000.00	
	Total	1,62,500.00		

Note: You shall extend the existing submitted Bank Guarantee for the Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional. Submit a fresh Bank Guarantee for the newly added Activity / Condition to be Complied mentioned in the above table valid upto the validity of this CCA + 4 months additional.

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 10 of 12



SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
- You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
- You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
- You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 11 of 12

1

MAHARASHTRA POLLUTION CONTROL BOARD

Tel: 24010706/24010437 Fax: 24023516 Website: http://mpcb.gov.in Email: cac-cell@mpcb.gov.in



Kalpataru Point, 2nd, 3rd and 4th floor, Opp. Cine Planet Cinema, Near Sion Circle, Sion (E), Mumbai-400022

ORANGE/M.S.I No:- Format1.0/CC/UAN No.0000187450/CO/2403002688 Date: 26/03/2024

To,

M/s. Kolhapur Super Speciality Medical Centre Diamond Super Speciality Hospital, 184 A/1, C ward, Near Acharya Vidyanand Bhavan, Nagala Park, TI -Karveer, Kolhapur-416003 Email:ravimydeo@hotmail.com Contact No.:9422045330



Combined Renewal of Consent to operate with increased in CI and BMW Authorization (CCA) under the provisions of Water (P & CP) Act, 1974, Air (P & CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016 as amended and Hazardous Waste (M & TM) Rules, 2016.

Ref: 1. Combine Consent and Bio-Medical Waste Authorization granted by the Board vide no. Format1.0/CC/UAN No. 0000145239/CR/2303001213 valid up to 13/12/2023 issued on 17/03/2023.

- 2. Your application for Combine Consent and Bio-Medical Waste Authorization dated 28/11/2023
- 3. This office e-mail on 19/01/2024.
- Documents uploaded on 19/01/2024, 20/01/2024, 23/01/2024 & 30/01/2024.
- 5. Minutes of 32nd Consent Committee Meeting held on 06/03/2024.

After examining the proposal, The Maharashtra Pollution Control Board hereby grant Renewal of Combined Consent to operate with increased in CI and BMW Authorization to HCE under Section 25/26 of the Water (P&CP) Act, 1974, Section 21 of the Air (P&CP) Act, 1981 and Bio-Medical Waste Management Rules, 2016, and Hazardous Wastes (Management & Transboundary Movement) Rules, 2016 respectively, under Environment (Protection) Act, 1986, subject to terms and conditions as specified below and in the Schedule(I-IV) and Annexure (I-II) enclosed in this order.

- 1. This CCA shall be in force for a period From 13-12-2023 To 13-12-2024
- 2. The capital investment of the HCF is ₹25.0187 Lakhs (As per C.A Certificate Submitted by HCF)
- HCF Area: Plot Area 1858.00 M² with Built-up area 2297.09 M².
- 4. Activities Included
 - a. Total Number of Beds : 101 Nos. (As per BNH certificate no. 101 valid upto 31-03-2025)
 - General Beds : 37 Nos ١.
- II. ICCU/ICU Beds : 23 Nos

- III. Operation Theatre : 2 Nos
- IV. Maternity Beds : 2 Nos

Other Beds : 37 Nos V.

b.Laundry

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00


Page 1 of 12

Cytotoxic Drugs/ Waste: You shall have separate storage, marked with the Cytotoxic Drugs/ Waste: You Shall Have Separate outdated, discarded, unused symbol of Bio Hazard & Cytotoxic Hazard for outdated, and Handling symbol of Bio Hazard & Cytotoxic Hazard of Management and Handling of cytotoxic drugs/waste and submit details of Management prescribed by Cocytotoxic drugs/waste and submit details of the format prescribed by CPCB outdated, discarded, unused Cytotoxic drugs in the formal Report to MPCB 3. outdated, discarded, unused Cytotoxic diago in Annual Report to MPCB with a which is available on www.cpcb.nic.in along with Annual Report to MPCB with a 4. Mercury Waste: You shall manage the Mercury Waste in HCE in environmentally

sound manner (including storage, spilled collection, transportation and disposal) as per guidelines published by CPCB as detailed in document entitled "Environmentally Sound Management of Mercury Waste in Health Care Facilities"

- 10. You shall not undertake Modifications/ Upgrdation in existing facility without obtaining prior Environment Clearance under the Provision of EIA notification, 2006 Or Consent to Establish from the MPC Board as applicable.
- 11. Any unauthorized change in Location, Name, personnel, equipment or working conditions as mentioned in the application by you shall constitute a breach of this CCA. In case of any change you shall apply fresh for CCA or amendment as applicable.
- 12. You shall not Rent, Lend, Sell, Transfer or Close Down the facility or otherwise transport / Handover the Bio-Medical waste generated for any other purpose without obtaining prior written permission of the MPC Board.
- 13. This Board reserves the right to review, amend, suspend, revoke, or change any of the conditions applicable under this CCA and the same shall be binding on the HCE.
- 14. You shall maintain records of MPC board-Officers visit and shall obey all the lawful instructions issued by the Board Officers from time to time.
- 15. Any violation of provisions of BMW-Management Rules, 2016 as amended shall attract the penal provisions of Environment (Protection) Act, 1986 and Violations under the provisions of Water (P&CP) Act 1974, Air (P&CP) act 1981 shall attract provisions of respective act including closure of the facility and prosecution.
- 16. This CCA shall not be construed as exemption from obtaining necessary NOC/permission from any other Government agencies as applicable.
- 17. You shall obtain & submit NOC from Central Ground Water authority (CGWA) for extraction of ground water within Three Months period from the issuance of CCA.
- 18. You shall submit Annual Report online on portal within 15 days from the issuance of CCA.
- 19. You shall submit the Bank Guarantee of Rs. 1,62,500/- towards compliance of conditions as specified in Schedule III to The Regional Officer, MPCB, Kolhapur within 30 days. Non submission of B.G. in specified time shall attract revocation of this CCA without further notice.







Signed by: Dr.Avinash Dhakne Member Secretary For and on behalf of, Maharashtra Pollution Control Board ms@mpcb.gov.in 2024-03-26 11:05:51 IST

Received Consent/Authorization fee of -

Sr.No Amount(Rs.)		Transaction/DR.No.	Date	Transaction Type	
1	110000.00	TXN2311004021	28/11/2023	Online Payment	

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 3 of 12

Copy to:

- 1. Regional Officer, MPCB, Kolhapur and Sub-Regional Officer, MPCB, Kolhapur
- Regional Officer, MPCB Kolhapur is directed to ensure submission of Bank Guarantee by hospital as specified in Schedule III of CCA and monitor the compliance of the consent conditions.
 - SRO Kolhapur is directed to ensure the compliance of the CCA conditions.
- 2. Cheif Accounts Officer, MPCB, Sion, Mumbai
- 3. I/C EIC- for record & website updating purpose.



Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 5 of 12

Annexure - II

Terms & conditions for Incinerator(s) and D.G. Set(s) under Air (P & CP) Act, 1981 and Bio Medical waste management Rule, 2016: (Refer Condition No.6)

You shall observe following fuel pattern and erect following stack (s): 1,

Sr. No.	Stack Attached to	Fuel Type	Quantity	Stack Height (Mtr)
1	D.G. SET (125 KVA)	Diesel	22.00 Ltr/Hr	5.00

2. The Applicant shall obtain prior permission of MPC board for providing additional control equipment with necessary specifications and operation thereof or replacement/alteration well before its life come to an end or erection of new pollution control equipment.

3. The Board reserves its rights to vary all or any of the condition in the consent, if due to any technological improvement or otherwise such variation (including the change of any control equipment, either in whole or in part as necessary).

- 4. Conditions for D.G. Set:
 - a. Noise from the D.G. Set should be controlled by providing an acoustic enclosure or by treating the room acoustically for control of noise.
 - b. Acoustic enclosure/acoustic treatment of the room should be designed for minimum 25 dB (A) insertion loss or for meeting the ambient noise standards, whichever is on higher side. A suitable exhaust muffler with insertion loss of 25 dB(A) shall also be provided. The measurement of insertion loss will be done at different points at 0.5 meters from acoustic enclosure/room and then average.

c. You shall make efforts to bring down noise level due to DG set, outside industrial premises, within ambient noise requirements by proper sitting and control

d. Installation of DG Set must be strictly in compliance with recommendations of DG

e. A proper routine and preventive maintenance procedure for DG set should be set and followed in consultation with the DG manufacturer which would help to prevent noise levels of DG set from deteriorating with use.

- D.G. Set shall be operated only in case of power failure. f.
- g. The applicant should not cause any nuisance in the surrounding area due to
- h. The applicant shall comply with the notification of MoEFCC dated 17.05.2002 regarding noise limit for generator sets run with diesel.

5. You shall take adequate measures for control of noise levels from its own sources within the premises so as to maintain ambient air quality standard in respect of noise to less than 75 dB (A) during day time and 70 dB (A) during night time. Day time is reckoned in between 6 a.m. and 10 p.m. and night time is reckoned between 10 p.m.

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 7 of 12

	1.	You shall handover at	
	2, 3, 4, 5, 6 7 8	 You shall use only non-chlorinated plastic coloured bags. You shall ensure use of colour coded bins and bags for segregation of BMW You shall not mix General/other Solid waste with Bio Medical Waste. You shall not mix General/other Solid waste with Bio Medical Waste. You shall ensure segregation, treatment and disposal of General / Other Mur You shall pay the charges to authorized Common Bio Medical waste Treat as amended. You shall comply and strictly abide with the conditions stipulated in BMW M Rules, 2016 as amended time to time. You shall handover Plastic / Metal waste (BMW) to Common Bio medical recycler authorized by MPCB for BMW Handling and maintain record submit to MPCB in Annual report. You shall undertake appropriate medical examination of all BMW Waste staff at the time of induction and at least once a year thereafter and maintain record management of Bio Medical Waste for protection against diseases, includir Band Tetanus, that are likely to be transmitted while handling bio medical waste staff at the records for the same. You shall ensure use of personal protective Equipment such as Heavy D (Workman's Gloves), Gum Boots or safety shoes for waste collectors Face of the same. 	as per BMW as required nicipal solid atment and istration or anagement lical waste or plastic/ s thereof & al waste at d thereof. handlers & involved in ng Hepatitis waste and
		 management of Bio Medical Waste for protection against diseases, includir B and Tetanus, that are likely to be transmitted while handling bio medical maintain the records for the same. 14. You shall ensure use of personal protective Equipment such as Hoavy D 	involved in ng Hepatitis I waste and Puty Gloves mask, Head
		 monthly basis with all the information relating to Bio-Medical waste mincluding this CCA and other permission and report. 16. You shall maintain all record for Generation, for a period of five years a whenever asked by MPCB authorities. 	anagement
		 The occupier and operator of a Health Care Establishment shall be liable damages caused to the environment or the public due to improper hand medical wastes. 	lling of bio-
		18. You shall ensure submission of Annual Report of BMW for the period including category and quantity of BMW Generated and Disposed in F preceding year before 30th June of every year to the Regional Office, MPC and uploading the same to MPCB Portal (https://www.ecmpcb.in/).	Form IV for

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 9 of 12

SCHEDULE-IV

General Conditions

The following general conditions shall apply:-

- You shall provide facility for collection of environmental samples and samples of trade and sewage effluents, air emissions and hazardous waste to the Board staff at the terminal or designated points and shall pay to the Board for the services rendered in this behalf.
- 2. Whenever due to any accident or other unforeseen act or event, such emissions occur or is apprehended to occur in excess of standards laid down, such information shall be forthwith reported to Board, concerned Police Station, Executive Engineer MIDC and Local Body. In case of failure of pollution control equipment's, the process connected to it shall be stopped.
- 3. You shall provide an alternate electric power source sufficient to operate all pollution control facilities installed to maintain compliance with the terms and conditions of the consent. In the absence, the applicant shall stop, reduce or otherwise, control operation to abide by terms and conditions of this consent.
- 4. You shall submit to this office, the 30th day of September every year, the Environmental Statement Report for the financial year ending 31st March in the prescribed Form-V as per the provisions of rule 15 of the Environment (Protection) (Second Amendment) Rules, 1992.
- You shall comply with the Hazardous Waste (M, H & TM) Rules, 2016 and submit the Annual Returns as per Rule 20(2) of Hazardous Waste (M, H & TM) Rules, 2016 for the preceding year April to March in Form-IV by 30th June of every year to Regional Office, Kolhapur.
- 6. You shall engage qualified staff/personnel/agency to see the day to day compliance of consent & authorization condition towards Environment Protection.
- 7. Separate drainage system shall be provided for collection of trade and sewage effluents. Terminal manholes shall be provided at the end of the collection system with arrangement for measuring the flow. No effluent shall be admitted in the pipes/sewers downstream of the Terminal manholes. No effluent shall find its way other than in designed and provided collection system.
- 8. Neither storm water nor discharge from other premises shall be allowed to mix with the effluents from the HCE.
- You shall install a separate meter showing the consumption of energy for operation of domestic and industrial effluent treatment plants and air pollution control system. A register showing consumption of chemicals used for treatment shall be maintained.
- 10. You should not cause any nuisance in surrounding area. You shall maintain good housekeeping.
- 11. You shall bring minimum 33% of the available open land under green coverage/ plantation. The applicant shall submit a yearly statement by 30th September every year on available open plot area, number of trees surviving as on 31st March of the year and number of trees planted.
- 12. The non-hazardous solid waste arising in the HCE premises, sweepings, etc. be disposed of scientifically so as not to cause any nuisance / pollution. The applicant shall take necessary permissions from civic authorities for disposal of solid waste.
- 13. You shall achieve the National Ambient Air Quality standards prescribed vide Government of India, Notification Dated. 16/11/2009 as amended.

Kolhapur Super Speciality Medical Centre/CO/UAN No.MPCB-CONSENT-0000187450/Indus-Id.26455 (26-03-2024 11:05:30 am) /QMS.PO6_F02/00

Page 11 of 12

Scanned with CamScanner